

INDEX MAPS.

T. 7N, R. 4E. 2nd Mer.

365-366 365-366 365-366 365-366 365-367 365-367

369	6	377	5	380	4	382	3	386	2	392	1	364
	377		379		382		385		391		392	
368	7	376	8	379	9	382	10	385	11	391	12	364
	376		378		381		385		390		390	
368	18	376	17	378	16	381	15	384	14	390	13	364
	375		375	378 378	380		384		389		389	
368	19	375	20	373	21	380	22	383	23	389	24	363
	374		374		373	371 371	383		388		388	
367	30	374	29	372	28	371	27	383	26	387	25	363
	373		374		372		371	370 370	386		387	
367	31	373	32	372	33	370	34	370	35	369	36	362
	361		361		361		362		362		362	

T. 8N, R. 4E. 2nd Mer.

400 399-400 399-400 399-400 399-401 399-401

403	6	425	5	419	4	415	3	411	2	407	1	399
	425		424		419		415		411		407	
403	7	424	8	418	9	414	10	411	11	406	12	398
	423		423		418		414		410		406	
402	18	423	17	418	16	414	15	410	14	406	13	398
	422		422		417		413		409		405	
402	19	422	20	417	21	413	22	409	23	405	24	398
	421		421		417		413		409		404	
401	30	421	29	416	28	412	27	408	26	404	25	397
	420		420		416		412		408		404	
401	31	420	32	416	33	412	34	408	35	403	36	397
	395		395-396		395-396		395-396		395-396		395-397	

The figures on the lines refer to the page.

Township N. 7 North, Range N. 4 East 3^d Mer. Indiana

South Boundary. March 25th 1811

East On S. boundary of Sec. 31, T. 7 N. R. 4 E.

- 8.00 a W. Oak 20 in. dia.
 32.50 a Brook 25 lbs. wide Course N.W.
 40.00 At the gr. Sec. post, from which
 a Logwood 5 in. dia. brang N 43 E 21 lbs. dist. of
 a Do 4 " " " N 70 E 16 " "
 80.00 At a post Cor. to Sec. 31 & 32, from which
 a Beech 24 in. dia. brang N 36 E 20 lbs. dist. of
 a Gum 10 " " " N 33 E 28 " "
 Land (middling quality, timber Oak, Beech &c.

East On S. boundary of Sec. 32, T. 7 N. R. 4 E.

- 12.00 a Beech 15 in. dia. brang
 35.50 a Brook 50 lbs. wide Course South
 40.00 At the gr. Sec. post, from which
 a Beech 11 in. dia. brang S 51 W 24 lbs. dist. of
 a Logw. 6 " " " N 16 E 60 " "
 52.50 a Beech 24 " "
 62.25 a Brook 50 lbs. wide Course S.W.
 80.00 At a post Cor. to Sec. 32 & 33, from which
 a Gum 18 in. dia. brang S 80 E 20 lbs. dist. of
 a Poplar 24 " " " N 3 W 49 " "
 Land timber &c. Same as on the last mile

East On S. boundary of Sec. 33, T. 7 N. R. 4 E.

- 21.00 a Brook 8 lbs. wide Course South
 22.00 a Beech 15 in. dia.
 40.00 At the gr. Sec. post, from which
 a Beech 14 in. dia. brang N 73 E 27 lbs. dist. of
 a Do 17 " " " N 15 E 36 " "
 50.00 a Brook 30 lbs. wide Course W
 80.00 At a post Cor. to Sec. 33 & 34, from which
 a Maple 6 in. dia. brang S 28 W 7 lbs. dist. of
 a W. Oak 30 " " " N 86 E 46 " "
 Level poor Oak land &c.

T⁷N. R⁴E. T² Mer. IndianaEast On S. boundary of Sec. 34, T⁷N. R⁴E.

- 2.00 a W. Oak 25 in. dia.
 26.50 a Brook 12 lks. wide Course N.W.
 40.00 Set the q. Sec. post, from which
 a Hickory 10 in. dia. bear S 67° W 42 lks. dist. of
 a Gum 18 " " " N 39° E 23 " "
 80.00 Set a post cor. to Sec. 34 & 35, from which
 a Beech 11 in. dia. bear N 70° E 26 lks. dist. of
 a W. Oak 9 " " " S 22° E 30 " "
 Poor Oak land &c.

East On S. boundary of Sec. 35, T⁷N. R⁴E.

- 36.50 a Hickory 16 in. dia.
 40.00 Set the q. Sec. post, from which
 a Hickory 8 in. dia. bear S 107° W 8 lks. dist. of
 a B. Oak 10 " " " N 60° W 25 " "
 78.00 a W. Oak 24 " "
 80.00 Set a post cor. to Sec. 35 & 36, T⁷N. R⁴E. from which
 a Beech 16 in. dia. bear N 45° W 29 lks. dist. of
 a Poplar 4 " " " S 40° W 30 " "
 Poor & Broken land, timber Beech, Maple &c

East On S. boundary of Sec. 36, T⁷N. R⁴E.

- 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bear N 35° W 15 lks. dist. of
 an Ash 13 " " " N 46° E 17 " "
 64.50 Set a post on Indian boundary line, from which
 a Beech 12 in. dia. bear N 25° E 14 lks. dist. of
 a Do 11 " " " S 52° E 6 " "
 Surveyed by Alexander Holmes, D.S.
 The last 22.56 by John McDonald, D.S.
 87.06 Intersected the N & S. line, at the corner of Towns
 6 & 7 N. Ranges 4 & 5 E. Land &c. same as last.

East Boundary var. 6° 30' E.
 North On E. boundary of Sec. 36, T⁷N. R⁴E.

T^yN. R4E. 2^d. Mer. Indiana

- 9.55 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Poplar 9 in. dia. bears N60°W 18 lbs. dist. of
 a Do 7 " " " N58½°E 18 " "
 65.77 a Branch 8 lbs. wide Course N.W.
 69.06 Same 8 lbs. " " S.E.
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a W. Oak 30 in. dia. bears N25°W 13 lbs. dist. of
 an Ironwood 4 " " " N46°E 16 " "
 Land level, timber Beech & Oak, underg. ^{tr} Brins
 & Sassafras good Soil

- North On the E. boundary of Sec. 25, T^yN. R4E.
 7.57 a W. Oak 18 in. dia.
 30.03 a Hickory 15 " "
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bears N40°W 7 lbs. dist. of
 a Do 15 " " " N52½°E 22 " "
 60.07 a W. Oak 15 in. dia.
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 a Maple 18 in. dia. bears N3°W 8 lbs. dist. of
 a W. Oak 48 " " " N73°E 7 " "
 Level flat land, timber Beech, Hickory Maple
 &c. rich Soil.

- North On E. boundary of Sec. 24, T^yN. R4E.
 19.89 a Creek 40 lbs. wide Course S.E.
 25.07 a W. Oak 20 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bears N88°W 16 lbs. dist. of
 a Do 9 " " " N42°E 30 " "
 this post stands in a Creek 30 lbs. wide C.S. S.E.
 47.07 a W. Oak 18 in. dia.
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a Dogwood 6 in. dia. bears N33°W 6 lbs. dist. of
 a W. Oak 13 " " " N53°E 3 " "

Ty N. R. 4 E. T. Mer. Indiana

Sand / Broken, timber / Beech, Oak &c.
undg.th Spice & birch, good Soil

North On E. boundary of Sec. 13, Ty N. R. 4 E.
37.35 a Branch 8th, wide Course S. E.

40.00 Set the q. Sec. post, from which
a Gum 18 in. dia. bran N 40 W 4th, dist. of
a Beech 8 " " " N 80 1/2 E 12 " "

45.02 a W. Oak 15 " "

77.40 a Beech 12 " "

80.00 Set a post Cor. to Sec. 12 of 13, from which
a Beech 10 in. dia. bran S 37 1/2 W 22th, dist. of
a Poplar 9 " " " N 47 E 22 " "
First 1/2 mile broken last 1/2 mile level timb.
Beech, Poplar, Oak &c. Soil good

North On E. boundary of Sec. 12, Ty N. R. 4 E.
15.26 a Poplar 20 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 22 in. dia. bran N 12 1/2 W 33th, dist. of
a Hickory 18 " " " N 65 E 13 " "

50.90 a D. Oak 40 " "

80.00 Set a post Cor. to Sec. 1 of 12, from which
a Beech 12 in. dia. bran S 31 W 12th, dist. of
a Do 14 " " " N 32 E 23 " "
Sand / Broken, timber / Beech, Sugar, Poplar &c.
undg.th Spice &c. May 28th 1819.

North On E. boundary of Sec. 1, Ty N. R. 4 E.

7.78 a Beech 14 in. dia.

10.54 a Creek 35th, wide Course S. W.

15.22 a Do 50 " " " N. E.

40.00 Set the q. Sec. post, from which
a Beech 9 in. dia. bran N 18 E 5th, dist. of
a Do 6 " " " N 15 " "

65.05 a Beech 15 " "

T⁸N. R4E. 2^d. Mer. Indiana

- 70.40 a Creek 50 lks. wide Course East
 72.97 Same 50 lks. " " S.W.
 74.63 Same 50 lks. " " N.E.
 80.00 Set a post Cor. to Townships N^o. 7 & 8 North, Range
 N^o. 4 & 5 East, from which
 an Oak 13 in. dia. bears N 4 N 21 lks. dist. of
 a Hickory 10 " " " S 10 E 6 " "
 (Description Omitted)

North Boundary.

- West On Rand^m. S. boundary of Sec. 36, T⁸N. R4E
 2.35 a Creek 50 lks. wide Course S.E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. Sec. post Cor. to Sec^s. 35 & 36, T⁸N. R4E.

- West On Rand^m. S. boundary of Sec. 35, T⁸N. R4E
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec^s. 34 & 35, T⁸N. R4E.

- West On Rand^m. S. boundary of Sec 34, T⁸N. R4E.
 33.60 a Branch 6 lks. wide Course S.W.
 40.00 Set temp^y. q^r. Sec. post
 78.80 a Branch 8 lks. wide Course S.W.
 80.00 Set temp^y. post Cor. to Sec^s. 33 & 34, T⁸N. R4E.

- West On Rand^m. S. boundary of Sec 33, T⁸N. R4E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec^s. 32 & 33, T⁸N. R4E.

- West On Rand^m. S. boundary of Sec 32, T⁸N. R4E.
 5.40 a Branch 6 lks. wide Course South
 37.40 a Do 5 " " " S.E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec^s. 31 & 32, T⁸N. R4E.

- West On S. boundary of Sec. 31, T⁸N. R4E on Rand^m.

T⁷N. R⁴E. 2^d. Mer. Indian

40.00 Let temp. q. Sec. post
 83.50 Let a post Cor. to Township N^o 7 & 8 North
 Range N^o 3 & 4 E, from which
 a W. Oak 24 in. dia. bray N 64 E 41 lbs. dist. of
 a Logwood 4 " " " S 63 W 6 " "

East On true line S. boundary of Sec. 31, T⁸N. R⁴E.

43.50 Let the q. Sec. post on true line, from which
 a W. Oak 14 in. dia. bray S 39 E 23 lbs. dist. of
 a Do 20 " " " - 43 W 15 " "

83.50 Let a post Cor. to Sec. 31 & 32, T⁸N. R⁴E, from which
 a Gum 13 in. dia. bray N 72 W 23 lbs. dist. of
 a B. Oak 20 " " " S 35 W 32 " "

East On true line S. boundary of Sec. 32, T⁸N. R⁴E.

40.00 Let the q. Sec. post from which
 a Beech 12 in. dia. bray N 28 E 26 lbs. dist. of
 a Hickory 20 " " " S 11 E 13 " "

80.00 Let a post Cor. to Sec. 32 & 33, T⁸N. R⁴E, from which
 a Maple 8 in. dia. bray N 51 W 18 lbs. dist. of
 a W. Oak 18 " " " S 57 E 14 " "

East On true line S. boundary of Sec. 33, T⁸N. R⁴E.

40.00 Let the q. Sec. post on true line, from which
 a W. Oak 15 in. dia. bray N 82 E 20 lbs. dist. of
 a Do 24 " " " S 31 W 22 " "

80.00 Let a post Cor. to Sec. 33 & 34, T⁸N. R⁴E, from which
 a Span Oak 24 in. dia. bray N 82 E 39 lbs. dist. of
 a W. Oak 18 " " " S 31 W 36 " "

East On true line S. boundary of Sec. 34, T⁸N. R⁴E.

40.00 Let the q. Sec. post on true line, from which
 a B. Oak 10 in. dia. bray N 25 E 24 lbs. dist. of
 a Do 8 " " " S 75 E 21 " "

80.00 Let a post Cor. to Sec. 34 & 35, T⁸N. R⁴E, from which
 a W. Oak 14 in. dia. bray S 35 W 6 lbs. dist. of

T^h N. R⁴ E. 2^d Mer Indiana

a W. Oak 12 in. dia. bran N 21 E 19 lks. dist. of

East On true line S. boundary of Sec. 35, T^h N. R⁴ E.40.00 Let the q. Sec. post on true line from which
a W. Oak 8 in. dia. bran N 66 E 14 lks. dist. of
a Do 12 " " " S 81 W 50 " "80.00 Let a post Cor. to Sec. 35, 36, T^h N. R⁴ E. from which
a W. Oak 30 in. dia. bran N 27 W 5 lks. dist. of
a W. Oak 14 " " " S 5 E 17 " "

East On true line S. boundary of Sec. 36, T^h N. R⁴ E.40.00 Let the q. Sec. post on true line, from which
a Hickory 13 in. dia. bran N 78 E 10 lks. dist. of
a Do 12 " " " S 84 W 39 " "80.00 Let a post Cor. to Township N. 7 & 8 North
Range N. 4 & 5 East, from which
an Oak 13 in. dia. bran N 4 W 2 lks. dist. of
a Hickory 6 " " " S 10 E 6 " "

West Boundary. March 24th 1891North On E. boundary of Sec. 36, T^h N. R³ E.

8.00 a Brook 5 lks. wide Course N. W.

28.00 a W. Oak 24 in. dia.

40.00 a W. Oak 15 in. dia. q. Sec. Corner, from which
a Beech 10 in. dia. bran S 34 E 20 lks. dist. of
a Gum 13 " " " N 12 W 40 " "

55.00 a W. Oak 12 " "

80.00 Let a post Cor. to Sec. 25, 36, T^h N. R³ E. from which
a W. Oak 20 in. dia. bran S 58 E 14 lks. dist. of
a Do 12 " " " N 28 W 21 " "

Sand hilly, timber Oak, Beech &c.

North On E. boundary of Sec. 25, T^h N. R³ E.

25.00 a Brook 8 lks. wide Course North

34.50 a Do 12 lks. " " S. E.

38.00 a W. Oak 16 in. dia. in the line

T^y N. R. 4 E. 2. Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a W. Oak 20 in. dia. bears N 61 W 35 lks. dist. of
 a Dogwood 5 " " " N 48 E 19 " "
- 61.00 a W. Oak 13 " "
- 74.50 a Brook 10 lks. wide Course N. E.
- 80.00 At a post Cor. to Sec. 24 & 25, T^y N. R. 3 E. from which
 a Beech 12 in. dia. bears N 64 E 10 lks. dist. of
 a Maple 18 " " " S 84 W 10 " "
 Sand hilly, timber Oak &c.

North On E. boundary of Sec. 24, T^y N. R. 3 E.

- 40.00 a Chest. Oak 12 in. dia. q. Sec. Corner, from which
 a W. Oak 13 in. dia. bears N 13 E 27 lks. dist. of
 a Hickory 8 " " " S 20 W 18 " "
- 46.50 a Brook 8 lks. wide Course E.
- 61.00 a Beech 20 in. dia.
- 80.00 At a post Cor. to Sec. 13 & 24, T^y N. R. 3 E. from which
 a Beech 10 in. dia. bears N 75 W 14 lks. dist. of
 a Do 15 " " " S 36 E 24 " "
 Poor hilly Oak & Beech timbered land

North On E. boundary of Sec. 13, T^y N. R. 3 E.

- 15.00 a Chestnut Oak 15 in. dia.
- 20.00 a Brook 6 lks. wide Course N. W.
- 40.00 At the q. Sec. post, from which
 a W. Oak 8 in. dia. bears S 50 E 11 lks. dist. of
 a Do 4 " " " N 4 W 5 " "
- 49.50 a Brook 15 lks. wide Course West
- 60.00 a W. Oak 18 in. dia.
- 80.00 At a post Cor. to Sec. 12 & 13, T^y N. R. 3 E. from which
 a Beech 15 in. dia. bears S 88 E 27 lks. dist. of
 a W. Oak 13 " " " S 80 W 5 " "
 Poor hilly land, timber Beech, Oak &c.

North On E. boundary of Sec. 12, T^y N. R. 3 E.

- 2.50 a Brook 5 lks. wide Course West

T⁷N. R⁴E. 2^d. Mer. Indiana

- 8.25 a Beech 15 in. dia. beam
 30.75 Intersected the Indian boundary at post
 from which an Ash 14 in. dia. beam N 2 E 44 lks. dist. of
 a Beech 13 " " N 77 E 18 " "
 Land of middling quality, timber Oak, Beech &c
 43.81 at the gr. Sec. post, from which
 a W. Oak 12 in. dia. beam N 53 1/2 W 24 lks. dist. of
 a Red Oak 20 " " " S 31 E 17 " "
 70.05 a Creek 25 lks. wide Course S. E.
 83.81 at a post Cor. to Sec. 1 of 12, T⁷N. R³E. from which
 a W. Oak 10 in. dia. beam S 31 1/2 W 26 lks. dist. of
 a Hickory 8 " " " N 53 1/2 E 17 " "
 Land hilly, timber Oak, Hickory & Beech,
 undergrowth Sassafras

North On E. boundary of Sec. 1, T⁷N. R³E.

- 4.10 a Branch 5 lks. wide Course West
 40.00 at the gr. Sec. post, from which
 a W. Oak 13 in. dia. beam N 68 1/2 E 42 lks. dist. of
 a Do 20 " " " N 38 W 38 " "
 80.00 at a post Cor. to Township N^o 7 of 8 North
 Range N^o 3 of 4 E. from which
 a W. Oak 24 in. dia. beam N 64 E 41 lks. dist. of
 a Dogwood 4 " " " S 63 W 6 " "
 Broken land, timber Oak, Beech &c.
 South of the Boundary surveyed in 1811
 By Alexander Holmes, D. S.
 North of the Boundary surveyed in 1819
 By John McDonald, D. S.

Subdivision

- North Between Sec. 35 of 36, T⁷N. R⁴E.
 21.00 a Brook 12 lks. wide Course S. E.
 30.00 a Gum 10 in. dia.
 39.00 at Brook 12 lks. wide Course S. W.
 40.00 at the gr. Sec. post, from which

T^y N. R⁴ E. 2^d. Mer. Indiana

- a Beech 8 in. dia. beam N 46 W 4 lks. dist. of
an Ironwood 5 " " " 19 E 12 " "
42.50 a Brook 12 lks. wide Course S. E.
48.94 Let a post on the Indian boundary, from which
a Beech 12 in. dia. beam S 5 W 2 lks. dist. of
a Ho 10 " " " N 48 E 33 " "
Land level & wet, timber Beech, Poplar &c.

North Between Sec. 34 & 35, T^y N. R⁴ E.

- 40.00 Let the q. Sec. post, from which
a Dogwood 3 in. dia. beam S 21 E 9 lks. dist. of
a W. Oak 4 " " " N 88 W 10 " "
80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
a Dogwood 5 in. dia. beam S 54 E 12 lks. dist. of
a Beech 20 " " " N 45 W 23 " "
Very hilly thin Soil, timber Oak & Hickory

East Between Sec. 26 & 35, T^y N. R⁴ E.

- 39.22 Let a post on the boundary, from which
a Hickory 5 in. dia. beam N 48 E 15 lks. dist. of
a P. Oak 4 " " " N 46 W 19 " "
Land rolling timber same as on last mile

North Between Sec. 26 & 27, T^y N. R⁴ E.

- 10.62 a Poplar 20 in. dia.
28.78 Let a post on the boundary from which
a Beech 10 in. dia. beam N 30 E. 16 lks. dist. of
a Ho 15 " " " N 61 W 21 " "
Land timber &c. same as on the last mile

North Between Sec. 33 & 34, T^y N. R⁴ E.

- 25.00 a Brook 12 lks. wide Course N. W.
40.00 Let the q. Sec. post, from which
a P. Oak 30 in. dia. beam N 61 E 1 lks. dist. of
a Ho 30 " " " N 50 W 73 " "
80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which

T₇N. R₄E. 2^d. Mer. Indiana

an Ironwood 8 in. dia. bran S 32 W 8 lbs. dist. 5
 a Beech 8 " " " N 23 E 16 " "
 Sand colling, timber Beech, Poplar, Oak, Hickory

East On Rand^m, between Sec^s. 27 & 34, T₇N. R₄E.

40.00 Set temp^y. gr. Sec. post

43.00 a Brook 10 lbs. wide Course S. W.

75.00 a Do 10 " " " S. W.

79.63 Intersected the N & S. line 10 lbs. N. of the post
 Sand timber &c. same as on the last mile

West On true line between Sec^s. 27 & 34, T₇N. R₄E.

39.81 1/2 Set gr. Sec. post at average dist. from which
 a Hickory 12 in. dia. bran N 19 E 12 lbs. dist. 5
 a Do 18 " " " S 59 E 23 " "

79.63 to Sec. Corner

North Between Sec^s. 27 & 28, T₇N. R₄E.

40.00 Set the gr. Sec. post, from which

a W. Ash 10 in. dia. bran S 12 W 8 lbs. dist. 5

a Hickory 12 " " " S 65 W 19 " "

80.00 Set a post Cor. to Sec^s. 21, 22, 27 & 28, from which

a P. Oak 20 in. dia. bran S 37 E 4 lbs. dist. 3

a W. Oak 24 " " " N 46 E 45 " "

Sand timber &c. same as on the last mile

East Between Sec^s. 27 & 27, T₇N. R₄E.

10.64 Set a post on Indian boundary, from which

a Beech 18 in. dia. bran East 36 lbs. dist. 5

a Do 15 " " " S 80 W 31 " "

Sand timber &c. same as on the last mile

North Between Sec^s. 21 & 22, T₇N. R₄E.

7.50 Set a post on the boundary, from which

a W. Oak 30 in. dia. bran S 72 W 32 lbs. dist. 5

a Dogw? — " " " N 65 E 14 " "

T⁷N. R4E. 2nd Mer. Indiana

Land timber &c. Same as on the last mile

North Between Sec. 32 & 33, T⁷N. R4E.40.00 At the g^r. Sec. post, from which
a Beech 6 in. dia. bran N48E 20 lks. dist. of
a Do 8 " " " N39W 26 " "

41.72 a W. Oak 15 in. dia.

42.60 a Brook 12 lks. wide Course S.W.

80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
a W. Oak 11 in. dia. bran N39W 28 lks. dist. of
a P. Oak - " " " S79E 12 " "

Hilly thin Soil and brushy, timber oak & hick.

East On Land^m between Sec. 28 & 33, T⁷N. R4E.

15.00 a Brook 15 lks. wide Course S.W.

23.00 a Do - " " " West

40.00 Left temp^y. g^r. Sec. post81.00 Intersected the N & S. line 58 lks. S. of post
Land timber &c. Same as on the last mileWest On true line between Sec. 28 & 33, T⁷N. R4E.40.50 At the g^r. Sec. post at average dist. from which
a Sugar 8 in. dia. bran S53W 12 lks. dist. of
a P. Oak 25 " " " S84W 27 " "

81.00 to Sec. Corner

North Between Sec. 28 & 29, T⁷N. R4E40.00 At the g^r. Sec. post, from whicha W. Oak 20 in. dia. bran N80W 11 lks. dist. of
a Beech 10 " " " S49E 27 " "

44.00 a Brook 12 lks. wide Course S.E.

80.00 Set a post Corner to Sec. 28, 29, 20 & 21, from which
a W. Oak 18 in. dia. bran S48E - lks. dist. of
a Beech 8 " " " N49W - " "

Land, timber &c. Same as on the last mile

T₇N. R₂₄E. 2^d. Mer. Indiana

East On Ran 8^m between Sec. 21 & 28, T₇N. R₂₄E.

40.00 Set temp^y. q^r. Sec. post

80.39 Intersected the N & S. line 69 lks. S. of post
Sand timber &c. same as on the last mile

West On true line between Sec. 21 & 28, T₇N. R₂₄E.

40.19² Set the q^r. Sec. post at average dist. from which
a B. Oak 4 in. dia. bran N 23 W 31 lks. dist

80.39 to Sec. Corner

North Between Sec. 20 & 21, T₇N. R₂₄E. 2^d. Mer.

40.00 Set the q^r. Sec. post, from which
a Hickory 6 in. dia. bran N 23 E 9 lks. dist. of
an Ironwood 3 " " S 57 W 21 " "

69.00 Set a post on Indian boundary, from which
a W. Oak 9 in. dia. bran N 80 W 11 lks. dist. of
a B. Oak 10 " " S 56 E 34 " "
Sand rolling, thin Soil, timber &c. same as last mile

North Between Sec. 31 & 32, T₇N. R₂₄E.

40.00 Set the q^r. Sec. post, from which
a Beech 12 in. dia. bran S 24 E 24 lks. dist. of
a dlo 3 " " N 65 E 14 " "

56.00 a Brook 1 1/2 lks. wide Course S. E.

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 20 in. dia. bran S 8 E 37 lks. dist. of
a Sugar 15 " " N 60 E 41 " "
Sand rolling, timber Oak & Hickory.

West Between Sec. 30 & 31, T₇N. R₂₄E

18.00 a Brook 1 1/2 lks. wide Course South

40.00 Set the q^r. Sec. post, from which
a Maple 7 in. dia. bran N 33 E 9 lks. dist. of
a Hickory 7 " " S 51 W 9 " "

80.62 Intersected the W. boundary at the post
Hilly thin brushy Soil timber the same

T^y N. R⁴ E. 2^d Mer. Indiana

East. On Rand^m. between Sec^s. 29 & 32, T^y N. R⁴ E.
7.00 a Brook 10 lks. wide Course S.

40.00 Let temp^y. q^r. Sec. post

80.00 Intersected the N & S line at the post
Land timber &c same as on the last mile

West On true line between Sec^s. 29 & 32, T^y N. R⁴ E.

40.00 Let the q^r. Sec. post on true line from which
a W. Oak 12 in. dia. bray S 26 E 22 lks. dist. of
a Hickory 2 " " " N 30 E 45 " "

80.00 to Sec Corner.

North Between Sec^s. 29 & 32, T^y N. R⁴ E.

40.00 Let the q^r. Sec. post, from which
a Beech 8 in. dia. bray S 36 W 22 lks. dist. of
a Do 18 " " " S 58 E 23 " "

80.00 Let a post Cor. to Sec^s. 19, 20, 29 & 30, from which
a W. Oak 12 in. dia. bray S 50 W 21 lks. dist. of
a Do 15 " " " S 71 E 10 " "

Land timber &c. same as on the last mile

East. On Rand^m. between Sec^s. 20 & 29, T^y N. R⁴ E.

40.00 Let temp^y. q^r. Sec. post

73.40 a Brook 12 lks. wide Course South

80.08 Intersected the N & S line 28 lks. S. of post
Land timber &c same as on the last mile

West On true line between Sec^s. 20 & 29, T^y N. R⁴ E.

40.04 Let q^r. Sec. post at average dist. from which
a W. Oak 12 in. dia. bray S 32 E 30 lks. dist. of
a Dogwood 5 " " " S 58 W 4 " "

80.08 to Section Corner

West Between Sec^s. 19 & 30, T^y N. R⁴ E.

35.00 a Brook 15 lks. wide Course S.

40.00 a Beech 12 in. dia. q^r. Sec. Corner

T^y N. R 4 E. T^h. Mer. Indiana

- 41.50 a Brook 10 lks. wide Course S. E.
 81.16 Intersected the N. boundary 66 lks. North of
 post. Set a post Cor. to Sec. 19 & 20, from which
 a Beech 15 in. dia. bray S 40 E 30 lks. dist. of
 a W. Oak 10 " " " S 57 E 22 " "
 Land timber &c. Same as on the last mile

North Between Sec. 19 & 20, T^y N. R 4 E.

- 10.00 a water Course 8 lks. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a W. Oak 10 in. dia. bray S 24 E 5 lks. dist. of
 a Do 8 " " " S 60 W 15 " "
 77.50 a Brook 12 lks. wide Course S. W.
 80.00 Set a post Cor. to Sec. 17, 18, 19 & 20 from which
 a Beech 10 in. dia. bray S 42 E 11 lks. dist. of
 a Do 10 " " " S 85 W 10 lks. "
 Thin Soil timber the same as on last mile

East Between Sec. 17 & 20, T^y N. R 4 E.

- 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bray S 56 W 4 lks. dist. of
 a Do 10 " " " S 16 W 28 " "
 65.46 Set a post on the Indian boundary, from which
 a W. Oak 10 in. dia. bray S 83 E 54 lks. dist. of
 a Do 20 " " " S 75 W 50 " "
 Land timber &c. Same as on the last mile

West Between Sec. 18 & 19, T^y N. R 4 E.

- 40.00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bray S 18 E 10 lks. dist. of
 a Do 20 " " " S 44 E 22 " "
 81.45 Intersected the N. boundary 75 lks. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 18 in. dia. bray S 62 W 14 lks. dist. of
 a Gum 8 " " " S 16 W 20 " "
 Land timber &c. Same as on the last mile

T^y N. R⁴ E. 2^d Mer. IndianaNorth Between Sec^s. 17 & 18, T^y N. R⁴ E.

15.70 a P. Oak 18 in. dia.

40.00 Set the q. Sec. post. from which

a W. Oak 12 in. dia. bears N 72 E 15 lks. dist. of

a Do 12 " " " N 64 W 26 " "

48.72 Set a post on the Indian boundary, from which

a Gum 7 in. dia. bears N 42 W 15 lks. dist. of

a W. Oak 12 " " " S 84 E 13 " "

Sand timber &c. same as on the last mile

East Between Sec^s. 7 & 18, T^y N. R⁴ E.

20.00 a Brook 12 lks. wide Course

40.00 a P. Oak 20 in. dia. q. Sec. Corner

41.06 Set a post on Indian boundary from which

a Gum 8 in. dia. bears S 34 E 14 lks. dist. of

a Beech 10 " " " N 66 E 9 " "

Sandy hilly thin Soil timber Oak & Hickory
Surveyed By Arthur Henrie, U. S.Aug. 15th 1819. Variation 6.45' EastNorth Between Sec^s. 17 & 18, T^y N. R⁴ E.

25.50 a W. Oak 15 in. dia. in the line

31.28 Set a post Cor. to Sec^s. 7, 8, 17 & 18, from which

a Hickory 14 in. dia. bears N 2 1/2 W 53 lks. dist. of

a W. Oak 14 " " " S 30 E 28 " "

West On Land: between Sec^s. 7 & 18, T^y N. R⁴ E.

39.80 Intersected Indian boundary 5 lks. N. of post

Sandy hilly timber W. Oak & Hickory

East Corrected between Sec^s. 7 & 18, T^y N. R⁴ E.

15.45 a W. Oak 15 in. dia. in the line

39.80 to Sec. Corner.

North Between Sec^s. 7 & 8, T^y N. R⁴ E. 2^d Mer.

10.80 a W. Oak 15 in. dia. in the line

T₇N. R₄E. 2^d Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Pk. Oak 6 in. dia. bears S 80 1/2° W 36 lks. dist.
 a Hickory 5 " " " S 79° W 16 " "
- 45.10 a Poplar 36 " " in the line
- 65.40 a P. Oak 24 " " " "
- 67.00 a small branch 5 lks. wide Course W.
- 78.50 a do do 5 " " " "
- 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a P. Oak 16 in. dia. bears S 82° E 20 lks. dist.
 a Beech 10 " " " S 71° W 15 " "
 Land hilly & poor, timber W. P. Oak, Hickory, Beech
 &c. no water

Nest On Land between Sec. 6 & 7, T₇N. R₄E.

- 12.50 a branch 20 lks. wide Course S. W.
- 40.00 Set temp. q. Sec. post
- 41.00 a branch 10 lks. wide Course S 10° W
- 80.12 Intersected the N. boundary 421 lks. S. of post
 Land hilly & poor, timber Oak, Hickory, Beech
 &c. Ironwood undergrd.

East Corner between Sec. 6 & 7, T₇N. R₄E.

- 23.10 a Hickory 24 in. dia. in the line
- 40.06 Set the q. Sec. post at average dist. from which
 a W. Oak 18 in. dia. bears N 76° E 13 lks. dist.
 a Beech 6 " " " S 11° E 22 " "
- 42.00 a W. Oak 15 " " in the line
- 80.12 to Sec. Corner

North Between Sec. 5 & 6 T₇N. R₄E.

- 5.95 a W. Oak 15 in. dia. in the line
- 11.00 a branch 20 lks. wide Course S. W.
- 17.25 a W. Oak 24 in. dia. in the line
- 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bears N 42° W 18 lks. dist.
 a P. Oak 6 " " " S 8° E 27 " "
- 84.60 Intersected the N. boundary 555 lks. N. of post

T^yN. R⁴E. T^h. Mer. Indiana

Set a post Cor. to Sec. 5 & 6 from which
 a B. Oak 14 in. dia. bears S 84² W. dist. 8
 a Gum 13 " " " N 13⁷ W 39 " "
 (Description Omitted)

North Between Sec. 20 & 21, T^yN. R⁴E.

10.64 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 12 in. dia. bears S 81⁴ W 7. lks. dist. 8
 a W. Oak 18 " " " N 89⁵ E 35 " "

West Between Sec. 17 & 20, T^yN. R⁴E.

14.08 To Corresponding Cor. in the Indian boundary
 (this line was established by intersection Continuing
 the line agreeably to instructions, from corner of
 in the Indian boundary, to their intersection)

North Between Sec. 16 & 17, T^yN. R⁴E. Aug. 16. 1819.

12.65 a W. Oak 18 in. dia.

29.90 a B. Oak 30 " "

40.00 Set the q. Sec. post, from which
 a W. Oak 24 in. dia. bears S 83¹ E 33. lks. dist. 8
 a Do 15 " " " S 88⁴ W 47 " "

56.40 a W. Oak 18 in. dia. Cor.

66.50 a Creek 15 lks. wide Course East

80.00 Set a post Cor. to Sec. 8, 9, 16, 17, from which
 a W. Oak 14 in. dia. bears S 80⁴ W 27. lks. dist. 8
 a Do 13 " " " S 41⁵ E 28 " "

Land Hilly and poor, timber W. B. Oak & Hickory
 Deadfall thickets

West On Random Between Sec. 8 & 17, T^yN. R⁴E.

30.00 a Creek 15 lks. wide Course S. E.

40.00 Set temp. q. Sec. post

78.00 Intersected the West boundary 1.42 lks. to the N. of post
 Land Hilly and poor, timber W. & B. Oak Hickory
 Dogwood very thickly.

S. N. R. 4 E. 2. Mer. Indiana

East Corrected Between Secs. 8 & 17 S. 7 N. R. 4 E.

10.33 a Red Oak 24 in. dia.

39.00 Set q. Sec. post at average dist. from which
an Ironwood 8 in. dia. bears N 72 E 17 lks. dist. 8
a do 8 " " " S 65 W 5 " "

78.00 To Section Corner.

North Between Secs. 8 & 9. S. 7 N. R. 4 E.

27.50 a Beech 10 in. dia. bears

35.86 a W. Oak 24 " " "

40.00 Set the q. Sec. post, from which
a W. Oak 15 in. dia. bears N 80 W 31 lks. dist. 8
a do 32 " " " S 70 E 33 " "

42.50 a W. Oak 24 " " "

53.00 a Creek 5 lks. wide Course East

64.00 a poplar 24 in. dia. in the line

65.20 a Creek 5 lks. wide Course East

80.00 Set a post Cor. to Secs. 4, 5, 8 & 9. S. 7 N. R. 4 E. from which
a Maple 26 in. dia. bears S 61 W 27 lks. dist. 8
a Hickory 18 " " " N 43 W 27 " "

Land Hilby and poor timber Oak Beech poplar
Dogwood &c.

West On Random Between Secs. 5 & 8. S. 7 N. R. 4 E.

40.00 Set temp. q. Sec. post

73.00 a Creek 10 lks. wide Course S. W

77.50 Intersected the West boundary 1.10 lks. N. of post
Land Hilby and poor timber W. B. Oak. Hickory
Beech &c. thick under-growth.

East Corrected Between Secs. 5 & 8. S. 7 N. R. 4 E.

32.00 a W. Oak 24 in. dia.

38.75 Set q. Sec. post at average dist. from which
a Beech 8 in. dia. bears N 71 W 3 lks. dist. 8
a do 14 " " " N 70 W 21 " "

77.50 To Section Corner

Ty N. R. 4 E. 2^d. Mer. Indiana

North Between Secs. 4 & 5, Ty N. R. 4 E.
 13.50 a W. Oak 24 in. dia. in the line
 22.50 a do 12 " " " "
 40.00 Set the q. Sec. post, from which
 a C. Oak 16 in. dia. bears West 24. lks. dist. 8
 a do 14 " " " S 40 E 17 " "
 40.50 a C. Oak 24 " " in the line
 40.96 a do 24 " " " " "
 79.00 a Creek 20 lks. wide Course S 50 W
 83.70 Intersected the North boundary 8.50 lks. N. of post
 Set a post Cor. to Secs. 4 & 5, from which
 a W. Oak 15 in. dia. bears N 55 E 4 lks. dist. 8
 a do 24 " " " S 11 W 39 " "
 Land hilly, timber W. B. H. C. Oak Beech some
 thickets of Ironwood. Aug. 17th 1819

North Between Secs. 21 & 22, Ty N. R. 4 E.
 15.84 a Beech 14 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 14 in. dia. bears N 83 W 20 lks. dist. 8
 a Beech 10 " " " N 21 E 16 " "
 53.00 a Creek 10 lks. wide Course E.
 75.75 a W. Oak 15 in. dia. in the line
 75.95 a B. Oak 18 " " " "
 80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which
 a B. Oak 30 in. dia. bears S 79 W 33 lks. dist. 8
 a Hickory 12 " " " N 67 E 54 " "
 Land poor & very sharp hills, timber W. B. H.
 C. Oak, Hickory, Dogwood &c.

West On Rand, between Secs. 16 & 21, Ty N. R. 4 E.
 40.00 Set temp. q. Sec. post
 81.00 Intersected the N. S. line 170 lks. N. of post
 Land hilly & poor, timber W. B. H. C. Oak, Hickory
 Underdog, Dogwood & Ironwood.

T₇N-R4E-2nd Mer. Indiana

East Corrected Between Secs. 16 & 21, T₇N-R4E
20.20 a W. Oak 14 in. dia. in the line

40.50 Set the q. Sec. post at average dist. from which
a W. Oak 24 in. dia. bears N 31 E 44 lks. dist. &
a Do 18 " " " S 42 E 17 " "

55.55 a W. Oak 18 " " in the line

81.00 to Sec. Corner.

Comp

North Between Secs. 15 & 16, T₇N-R4E.

33.10 a W. Oak 12 in. dia. in the line

40.00 Set the q. Sec. post from which
a Hickory 5 in. dia. bears N 41 E 14 lks. dist. &
a Do 8 " " " S 41 W 2 " "

44.00 a Branch 20 lks. wide Course East

58.12 a W. Oak 30 in. dia. in the line

74.80 a Hickory 18 " " " " "

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which
a Hickory 12 in. dia. bears S 65 W 15 lks. dist. &
a Dogwood 6 " " " N 78 E 10 " "

Land poor and scarcely any timber thick underg.
of Sassafras the timber remaining W. & B. Oak
Hickory &c.

West On Random Between Secs. 9 & 16, T₇N-R4E.

40.00 Set temp. q. Sec. post.

68.00 a Creek 5 lks. wide Course South

80.58 Intersected the N. & S. line 1.65 lks. N. of post

Land poor timber W. & B. Oak Principally killed by fire.

East Corrected Between Secs. 9 & 16, T₇N-R4E.

1.50 forked B. Oak 30 in. dia.

19.23 a W. Oak 24 " "

40.29 Set q. Sec. post at average dist. from which
a W. Oak 24 in. dia. bears N 34 W 4 lks. dist. &
a Do 20 " " " S 42 1/2 E 7 " "

80.58 to Section Corner.

T. N. R. & Co. 2^d. Mer. Indiana

North Between Secs. 9 & 10. T. N. R. & Co.

10.80 a Creek 10 lks. wide Course S. E.

40.00 Set the Sec. post, from which

a Gum 14 in. dia. bears N 23° W 64 lks. dist. &

a Hickory 8 " " " S 1° W 45 " "

73.80 a W. Oak 24 " " in the line

80.00 Set a post Cor. to Secs. 3, 4, 9, & 10. from which

a W. Oak 24 in. dia. bears S 47° E 47 lks. dist. &

a Do 14 " " " S 50° W 20 " "

Land poor and timber thinly scattered mostly killed
by fire very thilly thick undergrowth of Black
Sassafras of grape vines.

West On Random Between Secs. 4 & 9. T. N. R. & Co.

40.00 Set temp. of. Sec. post

59.00 a Creek 8 lks. wide Course South

80.50 Intersected the N. & S. line 1.70 lks. North of post.

Land thilly and extremely poor timber W. Oak

& B. Oak Hickory Gum thick undergrowth of Black Sassafras

East Corrected Between Secs. 4 & 9. T. N. R. & Co.

8.20 a B. Oak 24 in. dia. in the line

20.30 a Do 24 " " " " "

40.25 Set of. Sec. post. at average dist. from which

a B. Oak 30 in. dia. bears S 75° E 31 lks. dist. &

a Do 18 " " " N 43° E 55 " "

80.50 To Section Corner

North Between Secs. 3 & 4. T. N. R. & Co.

22.50 a W. Oak 30 in. dia. in the line

28.20 a Do 14 " " " " "

32.25 a Creek 5 lks. wide Course East

40.00 Set the of. Sec. post. from which

a W. Oak 36 in. dia. bears S 11° W 21 lks. dist. &

a Do 10 " " " N 7° W 51 " "

60.00 a Creek 5 lks. wide Course East

T^h N. R⁴ E. 2^d. Mer. Indiana

- 82.20 Intersected the N. Boundary 800 lks. N. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a W. Oak 12 in. dia. bran N 57 E 39 lks. dist. &
 a Do 18 " " " N 43 W 28 " "
 Land hilly & poor, timber W & N. Oak, Gum Mostly killed
 by fire, thick Sassafras & B. Hack undg. thickets.

- North Between Sec. 26 & 27, T^h N. R⁴ E. 2^d. Mer.
 28.64 passed boundary, having measured this line
 from Cor. of Sec. 26, 27, 34 & 35, twice and found it
 28.64 instead of 22.78 as returned by Mr. Henrie.
 40.62 Set the gr. Sec. post at average dist. from which
 a Beech 14 in. dia. bran N 30 E 24 lks. dist. &
 a Do 11 " " " N 11 E 44 " "
 66.00 a W. Oak 18 " " in the line Aug. 18. 1819
 73.60 a W. Oak 14 " " " " "
 81.24 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Gum 6 in. dia. bran S 80 1/2 E 19 lks. dist. &
 a Beech 12 " " " S 25 W 17 " "
 Land poor & very hilly, timber Oak, Beech &c.

- West Between Sec. 22 & 27, T^h N. R⁴ E. 2^d. Mer.
 39.20 Set the gr. Sec. post at average dist. from which
 a Chest. Oak 12 in. dia. bran N 48 E 38 lks. dist. &
 a Do 18 " " " S 87 W 7 1/2 " "
 78.40 to Cor. to Sec. 21, 22, 27 & 28.
 Land hilly high & sharp, timber Chest. Oak, W.
 Oak, Beech, Gum & Logwood, Ironwood undg.
 (Both the foregoing lines were measured twice
 over in order to find the true distance)

- North Between Sec. 22 & 23, T^h N. R⁴ E.
 5.80 a Red Oak 14 in. dia. in the line
 25.00 a Chest. Oak 15 " " " "
 37.50 a W. Oak 28 " " " "
 40.00 Set the gr. Sec. post, from which

T7N R4E. 2^d Mer. Indiana

- a Beech 12 in. diam. bray N61 E 27 lks. dist. of
 a Do 14 " " " N44 W 36 " "
 60.20 a P. Oak 14 " " in the line
 67.00 a Hickory 14 " " " "
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 15 in. diam. bray N1 W 14 lks. dist. of
 a Do 14 " " " N66 E 17 " "
 Land very hilly & poor, timber W. P. H. Oak,
 Hickory, Underg^g. Dogwood & Ironwood
-

- Next On Rand^m between Sec. 15 & 22, T7N R4E.
 10.00 a Creek 15 lks. wide Course N20 E.
 40.00 Set temp^y q. Sec. post
 78.49 Intersected the N & S. line 53 lks. S. of post
 Land since crossed branch first half mile
 level, Beech, W. Oak & Poplar, good 2^d rate,
 the residue poor & hilly, timber W. P. H. Oak &c.
-

- East Corrected between Sec. 15 & 22, T7N R4E.
 13.80 a Hickory 15 in. diam. in the line
 39.24 1/2 Set the q. Sec. post, at average dist. from which
 a W. Oak 14 in. diam. bray N23 1/2 W 28 lks. dist. of
 a Beech 14 " " " S33 E 31 " "
 78.49 to Sec. Corner
-

- North Between Sec. 14 & 15, T7N R4E.
 9.00 a Creek 15 lks. wide Course E.
 40.00 Set the q. Sec. post, from which
 a Sugar 12 in. diam. bray S57 E 38 lks. dist. of
 a Dogw^d. 4 " " " S9 E 26 " "
 42.90 a Beech 18 " " in the line
 56.50 a Creek 20 lks. wide Course E.
 63.43 a Beech 12 in. diam. in the line
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 an Ash 8 in. diam. bray N35 E 66 lks. dist. of
 a Do 4 " " " S42 E 12 " "

T^yN. R4E. 2^d. Mer. Indiana

Land 1st 1/2 mile rolling & pretty 2^d rate,
 aside level & 2^d rate, timber Beech, Poplar
 W. B. Oak, undg. Red bud & Logwood

West On Rand^m between Sec. 10 & 15, T^yN. R4E.

40.00 Set temp^y. q^r. Sec. post

62.00 a Creek 15 lks. wide Course S.E.

78.35 Intersected the N & S. line 33 lks. S. of Corner
 Land poor & scarcely any timber, Hazel thickets
 Black Sack & Grape vines, nearly all the distance

East Corrected between Sec. 10 & 15, T^yN. R4E.

39.17 1/2 Set q^r. Sec. post at average dist. in the middle
 of a vast thicket no timber within q^r. of a mile
 large enough for bearing trees.

78.35 to Sec. Corner.

North Between Sec. 10 & 11, T^yN. R4E. 2^d. Mer.

24.40 a W. Oak 30 in. dia. in the line

34.00 a Creek 10 lks. wide Course East

40.00 Set the q^r. Sec. post, from which

a Hickory 14 in. dia. by N 42 W 31 lks. dist. &

a W Oak 24 " " " S 44 W 31 " "

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which

a Hickory 4 in. dia. by N 7 1/2 E 6 3/4 lks. dist.

No other timber it being in the middle of a
 huge thicket scarcely any timber - last mile
 all killed by fire, some Oak, Hickory, Gum & Beech
 along the gullies. August 19. 1819

West On Rand^m between Sec. 3 & 10, T^yN. R4E.

40.00 Set temp^y. q^r. Sec. post

78.38 Intersected the N & S. line 50 lks. S. of post

Land mostly poor & almost destitute of timber
 by wind or fire, some W. B. Oak, Gum & Hickory
 thinly scattered, abominable thickets of B. Sack & Grape vines.

T^h N. R⁴ E. 2^d. Mer. Indiana

East Cornered between Sec^s. 3 & 10, T^h N. R⁴ E.
39.19 Set q. Sec. post at average dist. from which
a Gum 14 in. dia. bran, S 52 E 5 1/2 lks. dist.

no other timber near.

78.38 to Sec. Corner.

North Between Sec^s. 2 & 3, T^h N. R⁴ E.

7.00 a W. Oak 24 in. dia. in the line

33.70 a W. Oak 24 " " " "

35.50 a Creek 10 lks. wide Course E.

40.00 Set the q. Sec. post, from which
a Gum 18 in. dia. bran, N 87 W 20 lks. dist. of
a Beech 6 " " " S 17 W 14 " "

46.45 a W. Oak 26 " " in the line

65.00 a branch 8 lks. wide Course E.

81.90 Intersected the N. boundary 10.32 lks. N. of post
Set a post Cor. to Sec^s. 2 & 3, from which
a W. Oak 10 in. dia. bran, S 63 1/2 E 24 lks. dist. of
a Gum — " " " N 41 W 38 " "
Land hilly & poor. W. Oak, D. Oak, Hickory,
Beech, Sassafras, D. Sack undergth.

August 20th 1819

North Between Sec^s. 35 & 36, T^h N. R⁴ E.

8.74 passed boundary (Commenced at q. Sec. Corner)

40.00 Set a post Cor. to Sec^s. 25, 26, 35 & 36, from which
a W. Oak 12 in. dia. bran, N 71 E 19 lks. dist. of
a Do 18 " " " N 55 1/2 W 26 " "

Land hilly very high & sharp, timber W. O. B.
& Chest. Oak, Hickory, Dogwood, Black Sack
& Red Bud undergth.

West On Rand^m. between Sec^s. 26 & 35, T^h N. R⁴ E.

26.00 a branch 5 lks. wide Course S.

40.00 Set temp^y. q. Sec. post

79.94 Intersected the N & S. line 30 lks. S. of post

Ty N. R. 4 E. T. Mer. Indiana
(Description of Land &c. Omitted)

East Corrupted between Sec. 26 & 35, Ty N. R. 4 E.

39.97 Let of. Sec. post at average dist. from which
a P. Oak 4 in. dia. bran. N 52 W 7 lks. dist. of
a Hickory 3 " " " N 87 E 10 " "

79.94 to Sec. Corner.

East Between Sec. 25 & 36, Ty N. R. 4 E.

11.96 a Beech 12 in. dia. ~~bran~~ in the line

17.50 a Do 20 " " " " "

34.15 a W. Oak 18 " " " " "

40.00 Let the of. Sec. post, from which
a W. Oak 30 in. dia. bran. N 14 W 21 lks. dist. of
a Beech 12 " " " N 38 E 25 " "

66.60 a W. Oak 24 " " in the line

87.74 Intersected the E. boundary 37 lks. S. of post
Let a post Cor. to Sec. 25 & 36, from which
a W. Oak 26 in. dia. bran. N 16 W 23 lks. dist. of
a Beech 10 " " " N 16 E 48 " "
1st 1/2 mile hilly & poor, timber Ch. W. & P. Oak
& Beech - last 1/2 mile level, timber Beech, Gum
W. Oak &c. wet

North Between Sec. 25 & 26, Ty N. R. 4 E.

18.90 a P. Oak 24 in. dia. in the line

40.00 Let the of. Sec. post, from which
a W. Oak 18 in. dia. bran. North 2 lks. dist. of
a Do 24 " " " N 42 E 42 1/2 " "

57.50 a branch 8 lks. wide Course E.

60.05 a Hickory 15 in. dia. ~~stand~~ in the line

79.40 a Beech 14 in. dia. in the line

80.00 Let a post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 14 in. dia. bran. N 6 W 38 lks. dist. of
a Do 14 " " " N 7 W 21 1/2 " "

1st 1/2 mile huge hilly & poor, timber C. & W. Oak,

T⁷N. R⁴E. 2^d. Mer. Indiana

B. Sack - last 1/2 mile flat land, timber
 Beech, Gum, Spanish Oak &c. Dogwood
 & Water Beech, undergrowth.

West On Rand^m. between Sec^s. 23 & 26, T⁷N. R⁴E.

40.00 Set temp^y. gr. Sec. post

79.50 Intersected the N & S. line 21 lks. S. of post
 Land uncommonly hilly high & sharp & poor
 timber Chest & W. Oak, Beech, Ironwood &
 Dogwood undergth.

East Cornetted between Sec^s. 23 & 26, T⁷N. R⁴E.

39.75 Set gr. Sec. post at average dist. from which
 a P. Oak 4 in. diam. bran 180° W 13 lks. dist. &
 a Do 4 " " " 189° E 18 " "

79.50 to Sec. Corner.

East Between Sec^s. 24 & 25, T⁷N. R⁴E.

1.88 a W. Oak 18 in. diam. in the line

7.00 a branch 8 lks. wide Course N.

8.00 a Do 8 " " " S.

18.50 a Do 8 " " " N.E.

19.70 a W. Oak 30 in. diam. in the line

40.00 Set the gr. Sec. post, from which
 a W. Oak 14 in. diam. bran 189° E 15 lks. dist. &

a Hickory 6 " " " 188 1/2° W 19 " "

80.65 a Hickory 20 " " in the line

87.65 a P. Oak 20 " " " "

87.93 Intersected the E. boundary 20 lks. S. of post

Set a post Cor. to Sec^s. 24 & 25, from which

a Maple 18 in. diam. bran N 3 1/2° E 15 lks. dist. &

a Do 12 " " " N 44 1/2° W 20 " "

1 1/2 mile hilly, timber Oak, Hickory - last 1/2

mile flat timber Beech, Gum, Oak, Greenbrier
 undergrowth.

Ty N R 4 E. 2^d. Mer. Indiana

North Between Secs. 23 & 24, Ty N, R 4 E.

15.65 a Hickory 24 in. dia. in the line

24.00 a Creek 10 lks. wide Course East

26.08 a W. Oak 18 in. dia. in the line

40.00 a Do. 24 " " " "

56.00 a Creek 5 lks. wide Course East

61.20 a Beech 14 in dia. in the line

74.08 a W. Oak 23 " " " "

75.44 a Do 24 " " " "

80.00 Set a post Corner To Secs. 13, 14, 23 & 24, from which
a Beech 15 in. dia. bears N 57° W 41 lks. dist. &
a Do 15 " " " S 21° W 24 " "

Land rolling timber Beech W. Oak Hickory Poplar
and Ash - undergrowth Dogwood & Beech.

West On Random Between Secs. 14 & 23, Ty N, R 4 E.

40.00 Set temp'y. q. Sec. post.

79.20 Intersected the N. & S. line 70 lks. North of post

Land hilly steep and very poor timbered with W. & C.

Oak Hickory Dogwood & Ironwood undergrowth Beech

Hickory grapes &c.

East Corrected Between Secs. 14 & 23, Ty N, R 4 E.

4.58 a W. Oak 18 in. dia. in the line

37.70 a Do 24 " " " "

39.60 Set q. Sec. post at average dist. from which

a Hickory 4 in. dia. bears S 54° W 6 1/2 lks. dist. &

a W. Oak 14 " " " S 65° E 33 " "

79.20 to Section Corner

East Between Secs. 13 & 24, Ty N, R 4 E. Aug. 21. 1819

5.50 a W. Oak 18 in. dia. in the line

24.85 a Beech 24 " " " "

40.00 Set q. Sec. post. from which

a Beech 8 in. dia. bears N 21° E 22 lks. dist. &

a Do 15 " " " South 15 " "

S 7 N R 4 E. 2^d. Mer. Indiana

41.00 a B. Oak 38 in. dia. in the line
 48.33 a Hickory 26 " " " "
 66.00 a Creek 10 chs. wide Course South
 89.50 Intersected the E. boundary 19 chs. South of post
 Set a post Cor. To Sec. 13 & 24, from which
 a W. Oak 12 in. dia. bears S 53 W 4 chs. dist. &
 a do 14 " " " N 13 E 16 " "
 Land Ridgely timber Beech W. & B. Oak Hick J. Dog.

North Between Sec. 13 & 14, S 7 N R 4 E.
 24.70 a Hickory 14 in. dia. in line -
 42.00 Set the q. Sec. post from which
 a Beech 6 in. dia. bears South 2 chs. dist. &
 a do - " " " N 6 W 41 " "
 62.70 a Hickory 36 " " in the line
 81.00 Set a post. Corner to Sec. 11, 12, 13 & 14, from which
 an Elm 18 in. dia. bears N 51 W 7 1/2 chs. dist. &
 a Sugar - " " " N 45 E 22 " "
 Land Rolling & 2^d rate timber Beech poplar W. Oak
 Hickory Ash. Some Sugar tree -

West On Prandom Between Sec. 11 & 14, S 7 N R 4 E.
 32.00 a Creek 50 chs. wide Course N. 10. E.
 79.35 Intersected the N. & South line. 70 chs. N. of post
 Land and timber as on the last mile. Only a flat
 Beech Bottom which overflows

East Corrected Between Sec. 11 & 14, S 7 N R 4 E.
 32.55 a W. Oak 18 in. dia. in the line
 39.67 1/2 Set q. Sec. post at average dist. from which
 a Beech 24 in. dia. bears N 10 W 10 chs. dist. &
 a do 8 " " " S 6 E 28 " "
 79.35 to Section Corner

East Between Sec. 12 & 13, S 7 N R 4 E.
 12.90 a Beech 19 in. dia. in line -

Ty N R 4 E. 2^d. Mer. Indiana

- 40.00 Set the q. Sec. post. from which
 a Beech 10 in. dia. bears S 8 E 8 lks. dist. 8
 a Do 14 " " " N 7 1/2 E 32 " "
 74.30 a W. Oak 18 " " in the line
 89.47 Intersected the E. boundary 9 lks. North of post
 Set a post Cor. to Sec. 12 & 13, from which
 a Poplar 10 in. dia. bears N 72 E 17 lks. dist. 8
 a Beech 10 " " " S 31 W 29 " "
 Land along this line generally level - timber W. Oak
 Beech & Poplar I. rate Open woods.

- North Between Sec. 11 & 12 Ty N R 4 E.
 4.40 a Poplar 24 in. dia. in the line
 7.40 a Creek 5 lks. wide Course West
 26.75 a Beech 14 in. dia. in the line
 37.50 a Creek 5 lks. wide Course East
 40.00 Set the q. Sec. post. from which
 a Beech 12 in. dia. bears S 72 W 5 1/4 lks. dist. 8
 a Boxelder 8 " " " S 74 W 10 " "
 77.30 an Elm 26 in. dia. in the line
 80.00 Set a post Cor. to Sec. 1. 2. 11 & 12, from which
 a Beech 9 in. dia. bears N 11 W 15 lks. dist. 8
 a Do 8 " " " S 44 W 13 " "
 Land and timber as on the last mile

- West On Random Between Sec. 2 & 11. Ty N R 4 E.
 40.00 Set temp. q. Sec. post
 79.20 Intersected the N. & S. line 1.5 lks. N. of post
 Land hilly but pretty good for first 1/2 mile then
 poor and thickly timbered as before.

- East Corrected Between Sec. 2 & 11. Ty N R 4 E.
 11.94 a B. Oak 28 in. dia. in the line
 24.18 a W. Oak 18 " " " " "
 39.60 Set q. Sec. post at average dist. from which
 a W. Oak 9 in. dia. bears N 83 W 3 lks. dist. 8

T^y N. R 4 E. 2^d. Mer. Indiana

a Beech 9 in. dia. bears N 34 E 2 lks. dist.
79.20 To Section Corner

East Between Sec. 1 & 12, T^y N. R 4 E.
5.12 a Beech 14 in. dia. in the line
5.50 a Creek 25 lks wide South
24.94 a Beech 12 in. dia. in the line
40.00 Set of Sec. post, ^{on bank of branch 50 lks. wide course N.E.} from which
a Sycamore 30 in. dia. bears N 49 W 26 lks. dist. &
an Elm 18 " " " S 86 W 31 " "
40.50 a Creek 50 lks wide Course N. E.
56.00 Same " " " South
62.07 Same " " " North
79.50 a Beech 14 in. dia. in the line
89.94 Intersected the E. boundary 9 lks South of post
Set a post Cor. to Sec. 1 & 12, from which
a Beech 12 in. dia. bears West 7 lks dist. &
a Do. 18 " " " S 65 E 20 " "
Land low & wet timber, Beech, Elm, Ash, Sycamore
&c. Spruce underg. Aug. 22nd. 1819

North Between Sec. 1 & 2, T^y N. R 4 E.
6.50 a Creek 10 lks. wide Course S 70 E.
16.35 a Beech 14 in. dia. in the line
40.00 Set the of Sec. post, from which
a W. Oak 14 in. dia. bears S 77 W 16 lks dist. &
a Beech 5 " " " N 42 E 35 " "
45.62 a W. Oak 18 " " in the line
79.64 Intersected the N. boundary 11.60 lks. N. of post
Set a post Cor. to Sec. 1 & 2, from which
a W. Oak 12 in. dia. bears S 83 E 41 lks. dist. &
a Gum 18 " " " S 46 W 21 " "
Land level, timber Beech, Gum W. Oak Elm &c.
Open woods. 2^d rate.
Surveyed By A. C. Looker, L. S.

I Certify, that the foregoing transcript of field notes
of Township N. 7 North, Range N. 4 E. T. 1 Mer. Indiana
has been Compared with the original notes in this office
and found to be Correct.

Surveyor General's Office
Cincinnati, July 5th 1841

E. J. Rains
Sur. Genl.